



SAFETY DATA SHEET

Issuing Date 30-Apr-2015

Revision Date 30-Apr-2015

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Portland Cement Based Products

Other means of identification

Synonyms Rite-Crete Gunite/Seal Mix, Rite-Crete Ritewall

Recommended use of the chemical and restrictions on use

Recommended Use Sprayable/Trowelable applied Portland Cement Based Repair Material

Uses advised against No information available

Supplier's details

Supplier Address

Pakmix
PO Box 1561
Middlesboro, KY 40965
TEL: 800-272-5649

Emergency telephone number

Emergency Telephone Number 800-272-5649

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

| | |
|--|-------------|
| Acute Oral Toxicity | Category 4 |
| Skin Corrosion/Irritation | Category 1 |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Carcinogenicity | Category 1A |
| Specific Target Organ Toxicity (Repeated Exposure) | Category 2 |


GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Danger

Hazard Statements

- Harmful if swallowed
- Causes severe skin burns and eye damage
- May cause cancer
- May cause damage to organs through prolonged or repeated exposure



Appearance Gray **Physical State** Solid (powder). **Odor** No information available

Precautionary Statements**Prevention**

- Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Wear eye/face protection.
- Do not breathe dust/fume/gas/mist/vapors/spray.

General Advice

- Immediately call a POISON CENTER or doctor/physician.
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Wash contaminated clothing before reuse.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- Rinse mouth.
- Do NOT induce vomiting.

Storage

- Store locked up.

Disposal

- Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

50% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Rite-Crete Gunite/Seal Mix, Rite-Crete Ritewall

| Chemical Name | CAS-No | Weight % | Trade secret |
|-----------------|------------|----------|--------------|
| Quartz | 14808-60-7 | 40-70 | * |
| Portland cement | 65997-15-1 | 10-30 | * |

| | | | |
|---|------------|------|---|
| Silica | 7631-86-9 | 5-15 | * |
| Limestone | 1317-65-3 | 5 | * |
| Gypsum (Ca(SO ₄).2H ₂ O) | 13397-24-5 | 5 | * |
| Aluminum oxide | 1344-28-1 | 5 | * |

* Where range is displayed, the exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

| | |
|-----------------------------------|---|
| General Advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Immediate medical attention is required. |
| Inhalation | Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician. |
| Ingestion | Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |
| Protection of First-aiders | Use personal protective equipment. Avoid contact with skin, eyes and clothing. |

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Corrosive Serious eye irritation or damage. Skin irritation

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

Avoid dust formation.

Explosion Data

| | |
|---|-------|
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Use personal protective equipment. Avoid dust formation. Avoid inhalation of dust. Ensure adequate ventilation.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Avoid dust formation. Clean up promptly by scoop or vacuum. Dispose of promptly. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Do not breathe dust. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke during manufacturing use of this product. Do not take internally. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place.

Incompatible Products Strong oxidizing agents. Acids. Phosphorus.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|--|---|--|
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable fraction | 30/(%SiO ₂ +2) mg/m ³ TWA, Total Dust; 250/(%SiO ₂ +5) mppcf TWA, respirable fraction; 10/(%SiO ₂ +2) mg/m ³ TWA, respirable TWA: 0.1 mg/m ³ (vacated) | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |
| Portland cement 65997-15-1 | TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction TWA: 50 mppcf <1% Crystalline silica | IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Silica 7631-86-9 | - | (vacated) TWA: 6 mg/m ³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO ₂) mg/m ³ TWA | IDLH: 3000 mg/m ³ TWA: 6 mg/m ³ |
| Limestone 1317-65-3 | - | TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ respirable dust TWA: 10 mg/m ³ total dust |
| Gypsum (Ca(SO ₄).2H ₂ O) 13397-24-5 | TWA: 10 mg/m ³ inhalable fraction | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Aluminum oxide 1344-28-1 | TWA: 1 mg/m ³ respirable fraction | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | - |

Appropriate engineering controls

Engineering Measures
Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.
Skin and Body Protection Lightweight protective clothing. Protective gloves.
Respiratory Protection A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures Provide regular cleaning of equipment, work area and clothing. Remove contaminated clothing and protective equipment before entering eating or smoking areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|--------------------------|-----------------------|--------------------------|
| Physical State | Solid (powder) | Appearance | Gray |
| Odor | No information available | Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks/ - Method</u> |
|--|------------------------|--------------------------|
| pH | 13 | None known |
| Melting Point/Range | >1482.2 °C / >2700 °F | None known |
| Boiling Point/Boiling Range | > 1482.2 °C / >2700 °F | None known |
| Flash Point | No data available | None known |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limits in Air | | |
| upper flammability limit | No data available | |
| lower flammability limit | No data available | |
| Vapor Pressure | No data available | None known |
| Vapor Density | No data available | None known |
| Specific Gravity | 2.6 - 3.15 | None known |
| Water Solubility | Slightly soluble | None known |
| Solubility in other solvents | 0 g/l. | None known |
| Partition coefficient: n-octanol/water | No data available | None known |
| Autoignition Temperature | No data available | None known |
| Decomposition Temperature | No data available | None known |
| Viscosity | No data available | None known |

Flammable Properties Not flammable

Explosive Properties No data available

Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Dust formation. Incompatible products.

Incompatible materials

Strong oxidizing agents. Acids. Phosphorus.

Hazardous decomposition products

Silicon oxides. Calcium oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Inhalation | Inhalation of dust in high concentration may cause irritation of respiratory system. |
| Eye Contact | Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. Dust contact with the eyes can lead to mechanical irritation. |
| Skin Contact | Corrosive. Dusts may cause mechanical irritation. May cause severe irritation and possibly burns, especially in contact with broken skin. |
| Ingestion | Harmful if swallowed. Ingestion of corrosive substances can cause burns of the upper digestive and respiratory tract. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

| | |
|--------------------------|---|
| Sensitization | No information available. |
| Mutagenic Effects | No information available. |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-------|------|
| Quartz | A2 | Group 1 | Known | X |
| Silica | | Group 3 | | |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity No information available.

| | |
|---------------------------------|--|
| STOT - single exposure | No information available. |
| STOT - repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Chronic Toxicity | Inhalation overexposure to free crystalline silica may cause delayed lung injury including silicosis, a disabling and potentially fatal lung disease. Inhalation exposure to respirable levels of crystalline silica may cause respiratory impairment and lung damage. |
| Aspiration Hazard | No information available. |

Numerical measures of toxicity - Product

Acute Toxicity 50% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 607 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------------|---|--|----------------------------|--|
| Silica 7631-86-9 | EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata) | LC50 96 h: = 5000 mg/L static (Brachydanio rerio) | | EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia) |
| Aluminum oxide 1344-28-1 | | LC50 96 h: > 100 mg/L semistatic (Salmo trutta) | | LC50 48 h: > 100 mg/L (daphnia magna) |

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

| Chemical Name | CAS-No | California Prop. 65 |
|---------------|------------|---------------------|
| Quartz | 14808-60-7 | Carcinogen |

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|---|------------|---------------|--------------|----------|--------------|
| Quartz | X | X | X | - | X |
| Portland cement | X | X | X | | X |
| Silica | X | X | X | | |
| Limestone | X | X | X | | X |
| Gypsum (Ca(SO ₄).2H ₂ O) | X | | X | | X |
| Aluminum oxide | X | X | X | | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

| | | | | |
|-------------|-----------------|----------------|-------------------|---------------------------------|
| NFPA | Health Hazard 3 | Flammability 0 | Instability 0 | Physical and Chemical Hazards - |
| HMIS | Health Hazard 3 | Flammability 0 | Physical Hazard 0 | Personal Protection X |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 30-Apr-2015
Revision Date 30-Apr-2015
Revision Note Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet